NGHS GBSA

CHNA - Data

The following is a report on key health indicators within the NGHS GBSA of Banks, Barrow, and Jackson, counties, as well as three ZIP codes within Gwinnett County and one ZIP code within Hall County. Indicators in **red** mean the indicator is worse than the state rate and indicators in **green** mean that indicator is better than the state rate.

| Demographics | Indicator Variable | GBSA | Georgia |
|--|--|---------|------------|
| | Total Population | 320,370 | 10,403,847 |
| Total Population, 2019, Census Bureau, ACS, | Total Land Area (Square Miles) | 853.14 | 57,594.80 |
| 2020 (Note: This is higher than originally presented data as 2020 Census results are | Population Density (Per Square Mile) | 226 | 181 |
| now in) | Population Change, 2010-2020, Percent | 19.69% | 10.57% |
| | Total Households | 110,153 | 3,758,798 |
| - 11 11 el 11 2000 | Total Family Households | 82,498 | 2,524,982 |
| Families with Children, 2020 | Families with Children (Under Age 18) | 38,001 | 1,254,395 |
| | Families with Children (Under Age 18), Percent of Total Households | 34.5% | 33.37% |
| | Total Population (For Whom Disability Status Is Determined) | 315,831 | 10,213,659 |
| Population with Any Disability , 2019, Census Bureau, ACS, 2015-2019 | Population with a Disability | 41,849 | 1,261,925 |
| 001000 201000) 1100) 2020 2020 | Population with a Disability, Percent | 13.24% | 12.36% |
| | Population Age 5+ | 301,028 | 9,747,170 |
| Population with Limited English Proficiency, 2019, Census Bureau, ACS, 2015-2019 | Population Age 5+ with Limited English Proficiency | 18,240 | 539,739 |
| | Population Age 5+ with Limited English Proficiency, Percent | 6.06% | 5.54% |
| | Native | 283,100 | 9,206,715 |
| | Born in a US Territory | 1,083 | 44,360 |
| Citizenship Status, 2019, Census Bureau, | Born Abroad to US Citizens | 2,829 | 98,898 |
| ACS, 2015-2019 | Naturalized | 17,256 | 459,275 |
| | Non-Citizen | 16,102 | 594,599 |
| | Non-Citizen, Percent | 6.19% | 5.72% |
| Veteran Population 2010 Consus Burgan | Total Veterans | 24,635 | 629,302 |
| Veteran Population, 2019, Census Bureau, ACS, 2015-2019 | Veterans, Percent of Total Population | 7.8% | 8.02% |

| Income and Economics | Indicator Variable | GBSA | Georgia |
|---|--|----------|------------|
| Employment - Labor Force Participation Rate, 2019, Census Bureau | Labor Force Participation Rate | 62.34% | 62.60% |
| Employment - Unemployment Rate, US Dept of Labor, February 2022 | Unemployment Rate | 2.4% | 3.3% |
| | Total Households | 101,944 | 3,758,798 |
| Income - Median Household Income, Census Bureau, ACS, 2015-2019 | Average Household Income | \$98,580 | \$82,406 |
| census Bureau, 763, 2013 2013 | Median Household Income | \$88,493 | \$58,700 |
| Income - Per Capita Income, Census Bureau, | Total Population | 315,831 | 10,403,847 |
| ACS, 2015-2019 | Per Capita Income (\$) | \$29,653 | \$31,066 |
| | Total Households | 101,944 | 3,758,798 |
| Income - Public Assistance Income , Census Bureau, ACS, 2015-2019 | Households with Public Assistance Income | 1,529 | 56,805 |
| bureau, AC3, 2013-2019 | Percent Households with Public Assistance Income | 1.5% | 1.51% |
| | Total Population | 315,831 | 10,130,335 |
| | Population Under Age 18 | 76,193 | 2,468,726 |
| Poverty - Children Below 100% FPL , Census Bureau, ACS, 2015-2019 | Population Under Age 18 in Poverty | 9,322 | 531,056 |
| Bureau, Ac3, 2013-2019 | Percent Population Under Age 18 in Poverty | 12.23% | 21.51% |
| | Total Population Under Age 18 | 76,193 | 2,468,726 |
| | Population Under Age 18 at or Below 200% FPL | 15,021 | 1,106,903 |
| Poverty - Children Below 200% FPL, Census Bureau, ACS, 2015-2019 | Percent Population Under Age 18 at or Below 200% FPL | 19.71% | 44.84% |
| Poverty - Children Eligible for | Total Students | 56,726 | 1,729,964 |
| Free/Reduced-Price | Students Eligible for Free or Reduced-Price Lunch | 16,874 | 975,542 |
| Lunch, National Center for Education Statistics, 20202021 School Year | Students Eligible for Free or Reduced-Price Lunch, Percent | 29.75% | 56.44% |
| Poverty - Population Below 100% FPL (Annual), 2019, Census Bureau, ACS, 2015-2019 | Percent Population in Poverty | 13,12% | 14% |
| Poverty - Population Below 185% FPL, Census Bureau, ACS, 2015-2019 | Percent Population with Income at or Below 185% FPL | 30.08% | 31.37% |
| Poverty - Population Below 200% FPL, Census Bureau, ACS, 2015-2019 | Percent Population with Income at or Below 200% FPL | 33.15% | 34.26% |
| Poverty - Population Below 50% FPL, Census Bureau, ACS, 2015-2019 | Percent Population with Income at or Below 50% FPL | 5.23% | 6.78% |

| Education | Indicator Variable | GBSA | Georgia |
|---|---|--------|---------|
| Access - Head Start, US Department of Health and Human Services, Administration for Children and Families, 2019 | Head Start Programs, Rate (Per 10,000 Children) | 5.32 | 6.83 |
| Access - Preschool Enrollment (Age 3-4), National Center for Education Statistics, 2019 | Population Age 3-4 Enrolled in School, Percent | 44.68% | 50.26% |
| | No High School Diploma | 18.52% | 12.86% |
| | High School Only | 33.7% | 27.7% |
| | Some College | 20.4% | 20.3% |
| Attainment - Overview, Census Bureau, ACS, 20152019 | Associates Degree | 8.4% | 7.8% |
| | Bachelor's Degree | 13.1% | 19.2% |
| | Graduate or Professional Degree | 5.88% | 12.1% |

| Housing and Families | Indicator Variable | GBSA | Georgia |
|---|---|-------------|-----------|
| | Total Households | 110,153 | 3,758,798 |
| Households - Overview, Census Bureau, ACS, | Family Households | 82,498 | 2,524,982 |
| 2015-2019 | Family Households, Percent | 75 % | 67.18% |
| | Units Affordable at 15% AMI | 2.95% | 2.89% |
| | Units Affordable at 30% AMI | 8.41% | 7.62% |
| Affordable Housing, indicating which houses are | Units Affordable at 40% AMI | 15.33% | 13.15% |
| available at percentages of the Area Median | Units Affordable at 50% AMI | 25.31% | 21.63% |
| Income, 2015-2019, Census Bureau, ACS, | Units Affordable at 60% AMI | 36.82% | 32.11% |
| 20152019 | Units Affordable at 80% AMI | 57.54% | 52.58% |
| | Units Affordable at 100% AMI | 72.34% | 67.13% |
| | Units Affordable at 125% AMI | 80.54% | 78.02% |
| Household Structure - Older Adults Living Alone, Census Bureau, ACS, 2015-2019 | Percentage of Older Adults Living Alone | 31.37% | 35.56% |
| | Total Households | 101,944 | 3,758,798 |
| Housing Costs - Cost Burden (30%), Census Bureau, ACS, 2015-2019 | Cost Burdened Households (Housing Costs Exceed 30% of Income) | 26,189 | 1,110,770 |
| | Cost Burdened Households, Percent | 25.69% | 29.55% |
| | Total Households | 101,944 | 3,758,798 |
| Housing Costs - Cost Burden, Severe (50%), Census Bureau, ACS, 2015-2019 | Cost Burdened Households (Housing Costs Exceed 50% of Income) | 11,197 | 506,094 |
| | Percentage of Cost Burdened Households (Over 50% of Income) | 10.16% | 13.46% |
| | Total Owner-Occupied Housing Units | 84,500 | 2,377,773 |
| Housing Costs - Owner Costs , US Dept of Housing and Urban Development, 2021 | Average Monthly Owner Costs | \$1,137 | \$1,235 |
| and Orban Development, 2021 | Median Monthly Owner Costs | \$1,469 | \$1,056 |

| Housing Costs - Renter Costs, US Dept of Housing and Urban Development, 2021 | Total Renter-Occupied Housing Units | 5,064 | 1,381,025 |
|---|---|---------|-----------|
| | Average Gross Rent | \$847 | \$1,002 |
| 0.53 2010.0p | Median Gross Rent | \$849 | \$1,006 |
| Housing Quality - Substandard Housing, Census Bureau, ACS, 2015-2019 | Total Occupied Housing Units | 101,944 | 3,758,798 |
| | Occupied Housing Units with One or More Substandard Conditions, Percent | 25.15% | 30.10% |
| Housing Quality - Substandard Housing, Severe, Census Bureau, ACS, 2015-2019 | Occupied Households | 101,944 | 3,574,335 |
| | Percentage of Households with One or More Severe Problems | 13.94% | 17.71% |

| Social & Economic Factors | Indicator Variable | GBSA | Georgia |
|---|--|---------|------------|
| Area Deprivation Index ranks neighborhoods | State Percentile | 42 | No data |
| relative to those across the nation using 17 measures related to education, income/employment, housing, and household characteristics. University of Wisconsin-Madison School of Medicine and Public Health, Neighborhood Atlas, 2021 | National Percentile | 56 | 56 |
| Food Insecurity Rate, Feeding America, 2017 | Food Insecure Population, Total | 29,688 | 1,501,680 |
| rood insecurity Rate, Feeding America, 2017 | Food Insecurity Rate | 9.58% | 14.40% |
| | Total Students | 56,726 | 1,741,375 |
| | Districts Reporting | 100.0% | 93.7% |
| Homeless Children & Youth, US Department of | Students in Reported Districts | 100.0% | 99.3% |
| Education, EDFacts; CARES, 2019-2020 | Homeless Students | 1,248 | 36,678 |
| | Homeless Students, Percent | 2.2% | 2.1% |
| Households with No Motor Vehicle, Census Bureau, ACS, 2015-2019 | Households with No Motor Vehicle, Percent | 4.16% | 6.45% |
| | Total Population (For Whom Insurance Status is Determined) | 315,831 | 10,213,659 |
| | Population with Health Insurance | 275,045 | 8,862,562 |
| Insurance - Insured Population and Provider Type, Census Bureau, ACS, | Percentage with Private Insurance | 82.51% | 76.31% |
| 2015-2019 | Percentage with Public Insurance | 28.65% | 35.72% |
| | Total Medicare Beneficiaries | 63,444 | 1,680,680 |
| Insurance - Medicare Enrollment | Medicaid Advantage Beneficiaries | 28,958 | 802,847 |
| Demographics, Centers for Medicaid and | Fee-for-Service Beneficiaries | 34,485 | 877,833 |
| Medicare Services, Geographic Variation | Medicaid Eligible, Percentage | 13.93% | 15.84% |
| Public Use File, 2021 | Average Age | 72 | 72 |
| Insurance - Population Receiving Medicaid, Census Bureau, ACS, 2015-2019 | Total Population (For Whom Insurance Status is Determined) | 315,831 | 10,213,659 |
| | Population with Any Health Insurance | 275,045 | 8,862,562 |
| | Population Receiving Medicaid | 45,363 | 1,787,277 |
| | Percent of Insured Population Receiving Medicaid | 16.49% | 20.17% |
| | Total Population Age 18 - 64 | 182,597 | 6,384,960 |

| Young People Not in School and Not Working, Census Bureau, ACS, 2015-2019 | Population Age 16-19 Not in School and Not Employed, Percent | 6.89% | 7.86% |
|--|--|---------|-----------|
| Voter Participation Rate, Townhall.com, 2020 | Voter Participation Rate | 71.4% | 67.9% |
| 2017 | Property Crimes, Annual Rate (Per 100,000 Pop.) | 2,217 | 3,175.2 |
| Property Crime - Total, FBI Uniform Crime Reports, | Property Crimes, Annual Average | 1,669 | 323,958 |
| 2017 | Violent Crimes, Annual Rate (Per 100,000 Pop.) | 190.2 | 373.10 |
| Violent Crime - Total, FBI Uniform Crime Reports, | Violent Crimes, 3-year Total | 967 | 117,844 |
| Reports, 2017 | Robberies, Annual Rate (Per 100,000 Pop.) | 52.6 | 111.60 |
| Violent Crime - Robbery, FBI Uniform Crime | Robberies, 3-year Total | 124 | 35,248 |
| 2017 | Rapes, Annual Rate (Per 100,000 Pop.) | 22.8 | 24.60 |
| Violent Crime - Rape, FBI Uniform Crime Reports, | Rapes, 3-year Total | 54 | 7,790 |
| 2017 | Assaults, Annual Rate (Per 100,000 Pop.) | 290.4 | 230.20 |
| Violent Crime - Assault, FBI Uniform Crime Reports, | Assaults, 3-year Total | 1,437 | 72,734 |
| Teen Births, CDC – National Vital Statistics System, 2019 | Teen Births, Rate per 1,000 Female Population Age 15-19 | 22.4 | 24.2 |
| CDC/National Center for Health Statistics, 2019 | Social Vulnerability Index Score | 0.35 | 0.57 |
| higher numbers indicating greater vulnerability, | Housing & Transportation Theme Score | 0.3 | 0.53 |
| Social Vulnerability Index measures the degree of social vulnerability among five key areas with | Minority Status Theme Score | 0.62 | 0.80 |
| Contained the second t | Household Composition Theme Score | 0.30 | 0.41 |
| | Socioeconomic Theme Score | 0.39 | 0.52 |
| SNAP Benefits - Households Receiving SNAP (ACS) | Percent Households Receiving SNAP Benefits | 10.57% | 12.80% |
| SNAD Ronofite Households Possiving SNAD (ACS) | Households Receiving SNAP Benefits | 10,543 | 3,758,798 |
| Racial Segregation (Interaction Index), higher numbers noting greater levels of segregation, US Census Bureau, Decennial Census, 2020, University of Missouri, Center for Applied Research and Engagement Systems | Segregation Index | 0.8 | No data |
| Insurance - Uninsured Population (ACS), US Census Bureau, Small Area Health Insurance Estimates, 2020 | Uninsured Population, Percent | 15.57% | 13.23% |
| Estimates, 2020 | Uninsured Population | 49,175 | 1,351,097 |
| Bureau, Small Area Health Insurance Estimates, 2020 | Percent Population Without Medical Insurance | 8.68% | 7.48% |
| Insurance - Uninsured Children, US Census | Population Without Medical Insurance | 6,759 | 192,912 |
| | Total Population Under Age 19 | 77,863 | 2,578,343 |
| Estimates, 2020 | Percent Population Without Medical Insurance | 23.87% | 19.00% |
| Bureau, Small Area Health Insurance | Population Without Medical Insurance | 40,684 | 1,213,181 |
| Insurance - Uninsured Adults, US Census | Percent Population With Medical Insurance | 77.71% | 81.00% |
| | Population with Medical Insurance | 141,812 | 5,171,779 |

| Physical Environment | Indicator Variable | GBSA | Georgia |
|--|--|---------|-----------|
| | Total Households | 101,944 | 3,758,798 |
| Built Environment - Households with No Computer, Census Bureau, ACS, 2015-2019 | Households with No Computer | 1,916 | 367,646 |
| | Households with No Computer, Percent | 9.30% | 9.78% |
| | Total Households | 101,944 | 3,758,798 |
| Built Environment - Households with No or Slow Internet, Census Bureau, ACS, 2015-2019 | Households with No or Slow Internet | 3,497 | 701,579 |
| | Households with No or Slow Internet, Percent | 16.97% | 18.66% |
| | Food Desert Census Tracts | 15 | 441 |
| | Other Census Tracts | 33 | 1,516 |
| Food Environment - Food Desert Census Tracts, USDA – Food Access Research Atlas, 2019 | Food Desert Population | 134,048 | 2,158,463 |
| , | Other Population | 181,783 | 2,223,225 |
| Food Environment - Low Food Access, US | Population with Low Food Access | 86,580 | 2,992,914 |
| Department of Agriculture, Economic Research Service, 2019 | Percent Population with Low Food Access | 30.03% | 30.89% |
| | Low Income Population | 85,866 | 3,420,617 |
| Food Environment - Low Income & Low Food Access, US Department of Agriculture, Economic | Low Income Population with Low Food Access | 20,675 | 971,069 |
| Research Service, 2019 | Percent Low Income Population with Low Food Access | 24.08% | 28.39% |

| Clinical Care and Prevention | Indicator Variable | GBSA | Georgia |
|---|--|--------|---------|
| Cancer Screening - Mammogram (Medicare), CMS, Mapping Medicare Disparities Tool, 2020 | Female Beneficiaries with Recent Mammogram, Percent | 34% | 33% |
| Cancer Screening - Mammogram (Adult), CDC, Behavioral Risk Surveillance System, 2019 | Females Age 50-74 with Recent Mammogram (Age-Adjusted) | 76% | 76.7% |
| Cancer Screening - Pap Smear Test, CDC, Behavioral Risk Surveillance System, 2019 | Females age 21-65 with Recent Pap Smear (Age-Adjusted) | 84.3% | 85.6% |
| Cancer Screening - Sigmoidoscopy or Colonoscopy, CDC, Behavioral Risk Surveillance System, 2019 | Adults with Adequate Colorectal Cancer Screening (Age- Adjusted) | 63.2% | 63.0% |
| Dental Care Utilization, CDC, Behavioral Risk Surveillance System, 2019 | Adults with Recent Dental Visit (Age-Adjusted) | 58.4% | 60.9% |
| Diabetes Management - Hemoglobin A1c Test, Dartmouth Atlas of Health Care, 2019 | Medicare Enrollees with Diabetes with Annual Exam, Percent | 90.21% | 87.49% |
| Prevention - High Blood Pressure Management, CDC Atlas of Heart Disease and Stroke, 2020 | Blood Pressure Medication Nonadherence, Percentage | 22.9% | 25.2% |
| Hospitalizations - Preventable Conditions, CMS, Mapping Medicare Disparities Tool, 2020 | Preventable Hospitalizations, Rate per 100,000 Beneficiaries | 3,492 | 3,503 |
| Hospitalizations - Inpatient Stays, CMS – | Beneficiaries with Inpatient Stays | 15.3% | 14.7% |
| Geographic Variation Public Use File, 2020 | Total Inpatient Stays, Rate (per 1,000 Beneficiaries) | 237.8 | 230.0 |

| Hospitalizations - Emergency Room Visits, CMS – Geographic Variation Public Use File, 2020 | Emergency Room Visits, Rate (per 1,000 Beneficiaries) | 566.4 | 551.0 |
|--|--|---------|--------|
| Hospitalizations - Heart Disease, CDC Atlas of Heart Disease and Stroke, 2018 | Cardiovascular Disease Hospitalizations, Rate per 1,000 | 12.2 | 12.2 |
| Hospitalizations - Stroke , CDC Atlas of Heart Disease and Stroke, 2018 | Ischemic Stroke Hospitalizations, Rate per 1,000 | 10.2 | 9.3 |
| Prevention - Annual Wellness Exam (Medicare), CMS, Mapping Medicare Disparities Tool, 2020 | Beneficiaries with Annual Wellness Visit, Percent | 45% | 35% |
| Prevention - Seasonal Influenza Vaccine, CDC – FluVaxView, 2019-2020 | Percentage of Adults with Recent Influenza Immunization | 36.3% | 36.50% |
| Prevention – Cholesterol Screening, CDC, Behavioral Risk Surveillance System, 2019 | Percentage of Adults with Recent Cholesterol Screening | 85.9% | 87.3% |
| Prevention - Recent Primary Care Visit (Adult), CDC, Behavioral Risk Surveillance System, 2019 | Percentage of Adults with Routine Checkup in Past 1 Year Total Population (2019) | 75.5% | 77.33% |
| Prevention - Recent Primary Care Visit (Medicare), CMS, Mapping Medicare Disparities Tool, 2020 | Medicare Enrollees with Recent Primary Care Visit, Percent | 87.33% | 83.81% |
| Prevention - Core Preventative Services for Men, CDC, Behavioral Risk Surveillance System, 2019 | Percentage of Males age 65+ Up to Date on Core Preventative Services | 31% | 28.69% |
| Prevention - Core Preventative Services for Women, CDC, Behavioral Risk Surveillance System, 2019 | Percentage of Females age 65+ Up to Date on Core Preventative Services | 31.1% | 32.42% |
| Readmissions - All Cause (Medicare Population), CMS – Geographic Variation Public Use File, 2020 | 30-Day Hospital Readmissions, Rate | 17.2% | 18.7% |
| Readmissions - Chronic Obstructive Pulmonary Disease, CMS – Geographic Variation Public Use File, 2020 | 30-day Readmission Rate | 18.28% | 19.50 |
| Readmissions - Heart Attack , CMS – Geographic Variation Public Use File, 2020 | 30-day Readmission Rate | No data | 15.85 |
| Readmissions - Heart Failure, CMS – Geographic Variation Public Use File, 2020 | 30-day Readmission Rate | 21.26 | 21.70 |
| Readmissions - Pneumonia, CMS – Geographic Variation Public Use File, 2020 | 30-day Readmission Rate | 17.03 | 16.95 |
| Timely and Effective Care - Elective Delivery, CMS - Geographic Variation Public Use File, 2020 | Early Elective Deliveries, Percent | No data | 1.48% |

| Health Behaviors | Indicator Variable | GBSA | Georgia |
|---|---|------------|----------|
| Alcohol - Heavy Alcohol Consumption , University of Wisconsin, County Health Rankings, 2019 | Percentage of Adults Reporting Excessive Drinking | 17.84% | 16.81% |
| Alcohol - Binge Drinking , CDC, Behavioral Risk Surveillance System, 2019 | Percentage of Adults Binge Drinking in the Past 30 Days | 17.0% | 16.18% |
| Physical Inactivity , CDC, Behavioral Risk Surveillance System, 2019 | Adults with No Leisure Time Physical Activity, Percent | 24.7% | 23.6% |
| | Average Expenditures (USD) | \$251.39 | \$231.07 |
| Soda Expenditures , Nielsen SiteReports, 2018 | Percentage of Food-At-Home Expenditures | 4.21% | 4.18% |
| STI - Chlamydia Incidence, CDC, National Center for HIV/Aids, Viral Hepatitis, STD, and TB prevention, 2018 | Chlamydia Infections, Rate per 100,000 Pop. | 308.69 | 632.21 |
| STI - Gonorrhea Incidence, CDC, National Center for HIV/Aids, Viral Hepatitis, STD, and TB prevention, 2018 | Gonorrhea Infections, Rate per 100,000 Pop. | 75.7 | 200.10 |
| STI - HIV Incidence, CDC, National Center for HIV/Aids, Viral Hepatitis, STD, and TB prevention, 2018 | HIV / AIDS Infections, Rate per 100,000 Pop. | 11.34 | 28.60 |
| STI - HIV Prevalence, CDC, National Center for HIV/Aids, Viral Hepatitis, STD, and TB prevention, 2018 | Population with HIV / AIDS, Rate per 100,000 Pop. | 176.27 | 624.90 |
| Tobacco Expenditures, Nielsen | Average Expenditures (USD) | \$1,115.44 | \$835.80 |
| SiteReports, 2018 | Percentage of Food-At-Home Expenditures | 2.12% | 1.68% |
| Tobacco Usage - Current Smokers, Behavioral Risk Surveillance System, 2019 | Adult Current Smokers (Age-Adjusted) | 21.1% | 18.26% |
| Insufficient Sleep, Behavioral Risk Surveillance System, 2019 | Adults Sleeping Less Than 7 Hours on Average (Age-Adjusted) | 37.9% | 38.9% |

| Health Outcomes | Indicator Variable | GBSA | Georgia |
|--|---|-------|---------|
| Cancer Incidence - All Sites, State Cancer Profiles, 20142018 | Cancer Incidence Rate (Per 100,000 Population) | 486.1 | 468.5 |
| Cancer Incidence - Breast, State Cancer Profiles, 20142018 | Cancer Incidence Rate (Per 100,000 Population) | 122.1 | 128.4 |
| Cancer Incidence - Cervical, State Cancer Profiles, 20142018 | Cancer Incidence Rate (Per 100,000 Population) | 10.0 | 8.0 |
| Cancer Incidence - Colon and Rectum, State Cancer Profiles, 2014-2018 | Cancer Incidence Rate (Per 100,000 Population) | 46.1 | 40.9 |
| Cancer Incidence - Lung, State Cancer Profiles, 2014-2018 | Cancer Incidence Rate (Per 100,000 Population) | 76 | 61.3 |
| Cancer Incidence - Prostate , State Cancer Profiles, 20142018 | Cancer Incidence Rate (Per 100,000 Population) | 104.7 | 126.6 |
| Chronic Conditions - Alzheimer's Disease (Medicare | Beneficiaries with Alzheimer's Disease, Percent | 10.1% | 10.7% |

| Population), CMS – Geographic Variation Public Use | | | |
|---|---|--------|-----------|
| File, 2020 | | | |
| Chronic Conditions - Asthma Prevalence (Adult), CMS – Geographic Variation Public Use File, 2020 | Adults with Asthma (Age-Adjusted) | 9.1% | 9.1% |
| Chronic Conditions - Chronic Obstructive Pulmonary | Percentage of Adults Ever Diagnosed with Chronic Lower | 7.9% | 7.14% |
| Disease (Adult), CMS – Geographic Variation Public Use File, 2020 | Respiratory Disease | | |
| Chronic Conditions - Depression (Medicare Population), CMS – Geographic Variation Public Use File, 2020 | Beneficiaries with Depression, Percent | 17.9% | 17.2% |
| Chronic Conditions - Newly Diagnosed Diabetes (Adults), CDC National Center for Chronic Disease Prevention and Health Promotion, 2019 | Adults Newly Diagnosed with Diabetes, Age-Adjusted Rate per 1000 | 11.1 | 11.0 |
| Chronic Conditions - Diabetes (Adult), CDC National Center for Chronic Disease Prevention and Health Promotion, 2019 | Adults with Diagnosed Diabetes, Age-Adjusted Rate | 8.3% | 9.8% |
| Chronic Conditions - Kidney Disease - Robavioral | Percentage of Adults Ever Diagnosed with Kidney Disease | 2.72% | 3.22% |
| Chronic Conditions - Kidney Disease, Behavioral Risk Surveillance System, 2019 | Percentage of Medicare Beneficiaries Ever Diagnosed with Kidney Disease | 27.13% | 26.85% |
| Chronic Conditions - Heart Disease (Adult), | Adults Ever Diagnosed with Coronary Heart Disease (Crude) | 7.1% | 6.27% |
| Behavioral Risk Surveillance System, 2019 | Adults Ever Diagnosed with Coronary Heart Disease (Age- Adjusted) | 6.6% | 5.97% |
| Chronic Conditions - High Blood Pressure (Adult), Behavioral Risk Surveillance System, 2019 | Percentage of Adults with High Blood Pressure | 34.1% | 35.5% |
| Chronic Conditions - High Cholesterol (Adult), Behavioral Risk Surveillance System, 2019 | Percentage of Adults with High Cholesterol | 33.70% | 32.3% |
| Chronic Conditions - Multiple Chronic Conditions (Medicare Population), Centers for Medicare and Medicaid Services, 2018 | Beneficiaries with 2 or More Chronic Conditions, Percent | 70.5% | 70.9% |
| Deaths of Despair (Suicide + Drug/Alcohol | Age-Adjusted Death Rate (Per 100,000 Population) | | |
| Poisoning), CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016-2020 | | 72.7 | 38.1 |
| | Total Live Births | 24,043 | 1,801,717 |
| Low Birth Weight , University of Wisconsin, County Health Rankings, 2020 | Low Birthweight Births | 1,961 | 175,548 |
| nealth hallkings, 2020 | Low Birthweight Births, Percentage | 8.16% | 9.7% |
| Mortality - Infant Mortality (CDC), University of Wisconsin, County Health Rankings, 2020 | Deaths per 1,000 Live Births | 5.8 | 7.3 |
| Mortality - Cancer , CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016-2020 | Age-Adjusted Death Rate (Per 100,000 Population) | 185.7 | 153.1 |
| Mortality - Coronary Heart Disease, CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016-2020 | Age-Adjusted Death Rate (Per 100,000 Population) | 61.2 | 72.4 |
| Mortality - Poisoning , CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016-2020 | Age-Adjusted Death Rate (Per 100,000 Population) | 18.8 | 15.7 |
| Mortality - Heart Disease , CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016- 2020 | Age-Adjusted Death Rate (Per 100,000 Population) | 179.4 | 178.0 |
| Mortality - Homicide , CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016-2020 | Age-Adjusted Death Rate (Per 100,000 Population) | 5.2 | 8.4 |
| Mortality - Life Expectancy, CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016- 2020 | Life Expectancy at Birth | 76.24 | 77.38 |

| Mortality - Lung Disease, CDC, National Vital Statistics System, Accessed via CDC Wonder, 2016- 2020 | Age-Adjusted Death Rate (Per 100,000 Population) | 70.3 | 44.5 |
|--|---|--------|------------|
| Mortality - Motor Vehicle Crash, CDC, National | Age-Adjusted Death Rate (Per 100,000 Population) | | |
| Vital | | 40 - | 445 |
| Statistics System, Accessed via CDC Wonder, 2016- | | 19.7 | 14.5 |
| 2020 | | | |
| Mortality - Motor Vehicle Crash, Alcohol-Involved, US | Alcohol-Involved Crash Deaths, Annual Rate per 100,000 Population | | |
| Dept of Transportation, National Highway Safety | | 5.2 | 5.2 |
| Administration, Fatality Analysis Reporting System, | | | |
| 20152019 | | | |
| Mortality - Opioid Overdose, CDC, National Vital | Age-Adjusted Death Rate (Per 100,000 Population) | | |
| Statistics System, Accessed via CDC Wonder, 2016- | | 12.1 | 9.6 |
| 2020 | | | |
| Mortality - Premature Death, CDC, National Vital | Years of Potential Life Lost, Rate per 100,000 Population | | |
| Statistics System, Accessed via CDC Wonder, 2016- | | 7,353 | 7,637 |
| 2020 | | | |
| Mortality - Stroke, CDC, National Vital Statistics | Age-Adjusted Death Rate (Per 100,000 Population) | 43.2 | 43.2 |
| System, Accessed via CDC Wonder, 2016-2020 | | | |
| Mortality - Suicide, CDC, National Vital Statistics | Age-Adjusted Death Rate (Per 100,000 Population) | 17.2 | 14.0 |
| System, Accessed via CDC Wonder, 2016-2020 | | | |
| Mortality - Unintentional Injury (Accident), CDC, | Age-Adjusted Death Rate (Per 100,000 Population) | | |
| National Vital Statistics System, Accessed via CDC | | 53.0 | 45.1 |
| Wonder, 2016-2020 | | | |
| Mortality - Influenza & Pneumonia, CDC, National | Age-Adjusted Death Rate (Per 100,000 Population) | 11.2 | 13.6 |
| Vital Statistics System, Accessed via CDC Wonder, | | | |
| 2016-2020 | A A II ID ID | | 46.0 |
| Mortality - Firearm, CDC, National Vital Statistics | Age-Adjusted Death Rate (Per 100,000 Population) | 14 | 16.0 |
| System, Accessed via CDC Wonder, 2016-2020 | Adulta with DNAL 200 (Ohasa) Daysant | 20.40/ | 20.40/ |
| Obesity, CDC, National Center for Chronic Disease | Adults with BMI > 30.0 (Obese), Percent | 29.4% | 28.4% |
| Prevention and Health Promotion, 2019 | Total Population (2018) | 01 242 | 10 510 475 |
| Poor dental health/teeth loss – the number of percent of adults who report having lost of all their | Total Population (2018) | 81,243 | 10,519,475 |
| natural teeth due to decay or gum disease, | Adults with Poor Dental Health (Age-Adjusted) | 16.6% | 16.3% |
| Behavioral Risk Surveillance System, 2019 | | | |
| Poor or Fair Health, Behavioral Risk Surveillance | Adults with Poor or Fair General Health (Age-Adjusted) | 21.9% | 20.49% |
| System, 2019 | Addits with Foot of Fall General Health (Age-Adjusted) | 21.5/6 | 20.4370 |
| Poor Mental Health - Days, Behavioral Risk | Average Poor Mental Health Days per Month | 4.6 | 4.3 |
| Surveillance System, 2019 | Werage Foor Werter Feature Bays per Worter | 4.0 | 4.5 |
| Poor Mental Health, Behavioral Risk Surveillance | Adults with Poor Mental Health (Age-Adjusted) | 16.3% | 16.15% |
| System, 2019 | Addition Mental Health (Age Adjusted) | 10.370 | 10.1370 |
| Poor Physical Health - Days, Behavioral Risk | Average Poor Physical Health Days per Month | 4.2 | 4.0 |
| Surveillance System, 2019 | Adults with Poor Physical Health (Age-Adjusted) | 14.8% | 13.7% |
| Poor Mental Health - Mental Health and | Beneficiaries with Mental Health and Substance Use Conditions, | 34% | 35% |
| Substance Use | Percent | | |
| Conditions, CMS – Geographic Variation Public Use | | | |
| File, | | | |
| 2020 | | | |
| Stroke (Adult) , Behavioral Risk Surveillance System, 2019 | Adults Ever Having a Stroke (Age-Adjusted) | 3.54% | 3.5% |
| Stroke (Medicare Population), CMS – Geographic | Percent Diagnosed with Stroke | 3.38% | 4.0% |
| Variation Public Use File, 2020 | | | |
| Substance Use Disorder (Medicare Population), | Percentage with Drug/Substance Use Disorder | 4.5% | 3.6% |
| CMS – Geographic Variation Public Use File, 2020 | | | |
| | | | |

| Healthcare Workforce | Indicator Variable | GBSA | Georgia |
|---|--|--------|-----------|
| Access to Care - Dental Health, US Dept of Health and Human Services, HRSA – Area Health Resource File, 2019 | Dentists, Rate per 100,000 Population | 15.77 | 49.20 |
| Access to Care - Mental Health, CMS — National Plan and Provider Enumeration System, 2020 | Mental Health Care Provider Rate (Per 100,000 Population) | 30.7 | 146 |
| Access to Care - Primary Care, CMS – National Plan and Provider Enumeration System, 2020 | Primary Care Physicians, Rate per 100,000 Population | 36.42 | 66.30 |
| Federally Qualified Health Centers, US Dept of Health and Human Services, Provider of Services File, 2020 | Number of Federally Qualified Health Centers | 7 | 287 |
| | Rate of Federally Qualified Health Centers per 100,000 Population | 4.05 | 2.68 |
| Health Professional Shortage Areas - All, US Dept of Health and Human Services, HRSA – Health Professions Shortage Areas Database, 2022 | Primary Care Facilities | 3 | 83 |
| | Mental Health Care Facilities | 2 | 73 |
| | Dental Health Care Facilities | 1 | 72 |
| | Total HPSA Facility Designations | 6 | 228 |
| Health Professional Shortage Areas - Dental Care, US Dept of Health and Human Services, HRSA – Health Professions Shortage Areas Database, 2022 | Population Living in a HPSA | 66,462 | 5,720,632 |
| | Percentage of Population Living in a HPSA | 100% | 59.05% |
| Population Living in a Health Professional Shortage Area, US Dept of Health and Human Services, HRSA – Health Professions Shortage Areas Database, 2022 | Population Living in an Area Affected by a HPSA | 66,462 | 3,140,331 |
| | Percentage of Population Living in an Area Affected by a HPSA | 21.04% | 30.18% |
| | Percentage of HPSA Population Underserved | 76.21% | 56.14% |

| COVID-19 | Indicator Variable | GBSA | Georgia |
|---|--|------------|------------|
| COVID-19 - Confirmed Cases, Johns Hopkins University, accessed via ESRI, 2022 | Confirmed Cases, Rate per 100,000 Population | 21,889.53 | 23,107.64 |
| | Last Update | 05/10/2022 | 05/08/2022 |
| COVID-19 - Mortality, Johns Hopkins University, accessed via ESRI, 2022 | Deaths, Rate per 100,000 Population | 376.57 | 346.90 |
| | Last Update | 05/10/2022 | 05/08/2022 |